

### Index

<b>Products Conditions</b> .....	<b>1</b>
<b>Products List</b> .....	<b>2</b>
<b>WaveMon</b> .....	<b>2</b>
WaveMon RF-8 .....	2
WaveMon RF-60 .....	2
WaveMon LF-400 .....	3
Accessories .....	3
<b>SMP2</b> .....	<b>4</b>
Upgrades .....	4
Accessories .....	4
<b>MonitEM</b> .....	<b>6</b>
MonitEM .....	6
MonitEM-Lab .....	7
Options .....	7
Accessories .....	7
Spare parts .....	8
cMonitEM .....	9
<b>Control Center</b> .....	<b>9</b>
Software .....	9
Cloud .....	10
<b>Field Probes</b> .....	<b>10</b>
Magnetic Field Probes .....	10
Electric + Magnetic Field Probes .....	10
Electric Field Probes.....	11
Spare parts .....	13
<b>MapEM</b> .....	<b>13</b>
<b>Warranty Extension</b> .....	<b>14</b>

**⚠ IMPORTANT ADVICE:** This document is private and confidential. Distribution and/or copy is prohibited.

<b>Services Conditions</b> .....	<b>15</b>
<b>Services List</b> .....	<b>16</b>
<b>Repairs / Check Ups</b> .....	<b>16</b>
<b>Calibrations</b> .....	<b>16</b>
ISO 17025 accredited calibration / Calibration performed at accredited laboratory .....	16
Traceable calibration / Not under ENAC-ILAC accreditation .....	17
<b>Training</b> .....	<b>17</b>
<b>Upfront Recalibration</b> .....	<b>18</b>

**⚠ IMPORTANT ADVICE:** This document is private and confidential. Distribution and/or copy is prohibited.



## ⚠ General conditions

**Confidentiality** This document is private and confidential. Distribution and/or copy is prohibited.

## ⚠ Delivery times

These are the standard delivery times for less than 5 units. Please contact your sales manager for confirmation.

<b>SMP2</b>	2-3 working weeks after receipt of order.
<b>MonitEM</b>	3-4 working weeks after receipt of order.
<b>WaveMon</b>	2-3 working weeks after receipt of order.

## ⚠ Purchase orders

It is required to send a written formal purchase order to **Wavecontrol**.

<b>Purchase orders addressed to:</b>	<b>Name</b>	WAVECONTROL S.L.
	<b>Address</b>	Pallars 65-71, 08018 Barcelona, Spain
	<b>email</b>	<a href="mailto:info@wavecontrol.com">info@wavecontrol.com</a>
	<b>Telephone</b>	(+34) 933 208 055
	<b>VAT</b>	ESB-61459293

**Required concepts** Models, quantities, prices, discount, billing address, shipping address, incoterms, shipping instructions.



## WaveMon

Part Number	Reference	Description
 WWM0001	<b>WaveMon RF-8 ICN</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for ICNIRP 1998</li> <li><b>E Field:</b> 300 kHz – 8 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0002	<b>WaveMon RF-8 FCC</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for FCC</li> <li><b>E Field:</b> 3 MHz – 8 GHz   <b>H Field:</b> 3 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0003	<b>WaveMon RF-8 SC6</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for Safety code 6 2015</li> <li><b>E Field:</b> 10 MHz – 8 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0004	<b>WaveMon RF-8 EUD</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for EU EMF directive</li> <li><b>E Field:</b> 300 kHz – 8 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0011	<b>WaveMon RF-60 ICN</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for ICNIRP 1998</li> <li><b>E Field:</b> 100 kHz – 60 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0012	<b>WaveMon RF-60 FCC</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for FCC</li> <li><b>E Field:</b> 100 kHz – 60 GHz   <b>H Field:</b> 3 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0013	<b>WaveMon RF-60 SC6</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for Safety code 6 2015</li> <li><b>E Field:</b> 5 MHz – 60 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
 WWM0014	<b>WaveMon RF-60 EUD</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for EU EMF directive</li> <li><b>E Field:</b> 100 kHz – 60 GHz   <b>H Field:</b> 25 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>



Part Number	Reference	Description
WWM0015	<b>WaveMon RF-60 NATO</b>	<ul style="list-style-type: none"> <li>Personal RF Monitor for NATO standards</li> <li><b>E Field:</b> 100 kHz – 60 GHz   <b>H Field:</b> 100 MHz – 1 GHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
WWMLF0001	<b>WaveMon LF-400 EU</b>	<ul style="list-style-type: none"> <li>Personal EMF Monitor Low Frequency for Europe</li> <li><b>H field:</b> DC – 400 kHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
WWMLF0002	<b>WaveMon LF-400 ICNIRP</b>	<ul style="list-style-type: none"> <li>Personal EMF Monitor Low Frequency ICNIRP</li> <li><b>H field:</b> DC – 400 kHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>
WWMLF0003	<b>WaveMon LF-400 IEEE</b>	<ul style="list-style-type: none"> <li>Personal EMF Monitor Low Frequency IEEE C95.6</li> <li><b>H field:</b> DC – 400 kHz</li> <li>Includes: USB cable, manual, arm strap, harness strap, carrying case, PC software, individual testing certificate</li> </ul>



**Accessories**

Part Number	Reference	Description
W-WAVEMON-GPS	<b>WaveMon GPS</b>	WaveMon Internal GPS (cannot be activated remotely)
WWMA0002	<b>WaveMon Stick</b>	Adjustable extension stick (73 cm)
WWMA0001	<b>WaveMon Safety Cable</b>	WaveMon safety attachment cable
WWMA0003	<b>WaveMon Lanyard</b>	WaveMon lanyard



SMP2



Part Number	Reference	Description
WSN0001	<b>SMP2 Broadband</b>	<ul style="list-style-type: none"> <li>• Electromagnetic Field Meter</li> <li>• Broadband measurements (10 Hz – 60 GHz)</li> <li>• Includes: Carrying case (maximum 5 probes + the SMP2 unit), SMP2 reader SW, AC charger, USB cable</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WP50, WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPF60S, WPH60, WPH1000, Fast RMS probes</li> </ul>
WSN0003	<b>SMP2 Selective</b>	<ul style="list-style-type: none"> <li>• Electromagnetic Field Meter</li> <li>• Broadband &amp; Spectrum analysis (FFT) (0 Hz – 400 kHz)</li> <li>• Weighted peak exposure (% of exposure against limit)</li> <li>• Includes: Carrying case (maximum 5 probes + the SMP2 unit), SMP2 reader SW, AC charger, USB cable</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WP400, WP400-3, WPH-DC</li> </ul>
WSN0002	<b>SMP2 Dual</b>	<ul style="list-style-type: none"> <li>• Electromagnetic Field Meter</li> <li>• Broadband measurements (0 Hz – 60 GHz)</li> <li>• Spectrum analysis (FFT) (0 Hz – 400 kHz)</li> <li>• Includes: Carrying case (maximum 5 probes + the SMP2 unit), SMP2 reader SW, AC charger, USB cable</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WP400, WP400-3, WPH-DC, WP50, WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPF60S, WPH60, WPH1000, Fast RMS probes</li> </ul>









Upgrades

Part Number	Reference	Description
W-UPGRADE DUAL	<b>SMP2 Upgrade Broadband to Dual</b>	<ul style="list-style-type: none"> <li>• Upgrade your SMP2-Broadband to Dual</li> <li>• SMP2 needs to be sent back to Wavecontrol</li> </ul>
W-UPGRADE SEL-DUAL	<b>SMP2 Upgrade Selective to Dual</b>	<ul style="list-style-type: none"> <li>• Upgrade your SMP2-Selective to Dual</li> <li>• Update can be done remotely</li> </ul>

Accessories



Part Number	Reference	Description
WSNA0001	<b>Tripod</b>	Non-reflective wooden tripod (including transport cover)
WSNA0002	<b>Tripod extension</b>	Horizontal extension arm for E measurement

	Part Number	Reference	Description
	WSNO0001	<b>SMP2 Internal GPS</b>	Internal embedded GPS
	WSNA0004	<b>Optic Fiber Cable – 10 m</b>	10 m fiber optics + Converter USB to PC
	WSNA0015	<b>Optic Fiber Cable – 20 m</b>	20 m fiber optics + Converter USB to PC
	WSNA0010	<b>Optic Fiber Cable – Long</b>	Up to 45 m fiber optics + Converter USB to PC
	WSNA0007	<b>SMP2 Vehicle DC connector</b>	Charge SMP2 from a vehicle DC connector
	WSNA0008	<b>SMP2 Soft Backpack</b>	SMP2 backpack to fit up to 3 probes  <b>Not available at this moment</b>
	WSNA0009	<b>SMP2 protective pouch</b>	Easily portable protective soft sheath
	WSNA0011	<b>Probe extension cable</b>	<ul style="list-style-type: none"> <li>• 5 meters</li> <li>• WP400, WP400-3, WPH-DC</li> </ul>
	WSNA0013	<b>Probe support for tripod</b>	Useful with the probe extension cable



Part Number	Reference	Description
WSNA0012	<b>SMP2 Carrying Case</b>	Additional carrying case (maximum 5 probes + the SMP2 unit)
WSNO0007	<b>SMP2 EU Charger</b>	AC Charger for SMP2 wiht EU adapter
WSNO0008	<b>SMP2 US Charger</b>	AC Charger for SMP2 wiht US adapter
WSNO0009	<b>SMP2 UK Charger</b>	AC Charger for SMP2 wiht UK adapter
WSNO0010	<b>SMP2 AU Charger</b>	AC Charger for SMP2 wiht AU adapter
WSNO0011	<b>SMP2 CN Charger</b>	AC Charger for SMP2 wiht CN adapter
PEA0010	<b>SMP2 Battery</b>	Li-ion battery for the SMP2

## MonitEM



Part Number	Reference	Description
WMT0011	<b>MonitEM Solar</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• Solar powered</li> <li>• Battery included</li> <li>• Internal 3G/GPRS modem included (SIM card not included)</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WP50, WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH60, WPH1000</li> </ul>
WMT0012	<b>MonitEM AC</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• AC supply</li> <li>• Internal 3G/GPRS modem included (SIM card not included)</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH60, WPH1000</li> </ul>
WMT0013	<b>MonitEM Hybrid</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• Solar powered</li> <li>• Battery included &amp; AC supply</li> <li>• Internal 3G/GPRS modem included (SIM card not included)</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH60, WPH1000</li> </ul>










Part Number	Reference	Description
WMT0091	<b>MonitEM-Lab outdoor</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• AC supply and Ethernet communication</li> <li>• Realtime, audible and visual alarms</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WPF3, WPF3-HP, WPT, WP-WiFi, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH60, WPH1000</li> </ul>
WMT0093	<b>MonitEM-Lab indoor</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• AC supply and Ethernet communication</li> <li>• Realtime, audible and visual alarms</li> <li>• External alarm (dry contact)</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WPF3, WPF3-HP, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH1000</li> </ul>
WMT0094	<b>MonitEM-Lab DC</b>	<ul style="list-style-type: none"> <li>• Area Monitor</li> <li>• DC supply and Ethernet communication</li> <li>• Indoor unit</li> <li>• Requires 12 VDC external power supply (not included)</li> <li>• Realtime, audible and visual alarms</li> <li>• External alarm (dry contact)</li> <li>• DB9 connector for VDC and alarm dry contact</li> <li>• Requires minimum one probe</li> <li>• Probe compatibility: WPF3, WPF3-HP, WPF6, WPF6-HP, WPF8, WPF8-HP, WPF18, WPF18-HP, WPF40, WPF60, WPH1000</li> </ul>





Options		
Part Number	Reference	Description
WMT00008	<b>MonitEM AC UPS Kit</b>	<ul style="list-style-type: none"> <li>• Add a battery to MonitEM - AC</li> <li>• Compatibility: MonitEM AC</li> </ul>
WMT00005	<b>MonitEM – On/Off button</b>	<ul style="list-style-type: none"> <li>• External button (On/Off switch)</li> <li>• Compatibility: Already included in MonitEM-Lab indoor</li> </ul>
WMT00006	<b>MonitEM – Ext USB</b>	<ul style="list-style-type: none"> <li>• External USB connector</li> <li>• Compatibility: Already included in MonitEM-Lab indoor and not compatible with MonitEM-Lab outdoor</li> </ul>

Accessories (not compatible with MonitEM-Lab)		
Part Number	Reference	Description
WMTA0001	<b>MonitEM – Mast Ø40mm</b>	<ul style="list-style-type: none"> <li>• Non-reflective mast for MonitEM installation</li> <li>• Compatibility: Not compatible with MonitEM-Lab indoor (SMP2 tripod can be used instead)</li> </ul>



Part Number	Reference	Description
 WMTA0008	<b>MonitEM – Base foot</b>	<ul style="list-style-type: none"> <li>• Base foot (H-shaped) for self-standing MonitEM installation</li> <li>• Compatibility: Base to be used with mast WMTA0001</li> </ul>
 WMTA0005	<b>MonitEM – Wall mast fixation</b>	<ul style="list-style-type: none"> <li>• Set for fixing the MonitEM mast to the wall (O). Includes 2 units</li> <li>• Compatibility: To be used with mast WMTA0001</li> </ul>
 WMTA0006	<b>MonitEM – Mast clamp</b>	<ul style="list-style-type: none"> <li>• Set for MonitEM mast clamp (U). Includes 2 units</li> <li>• Compatibility: To be used with mast WMTA0001</li> </ul>
 WMTA0009	<b>MonitEM – Wall mount</b>	<ul style="list-style-type: none"> <li>• Metallic L-shaped mount for wall installation</li> <li>• Compatibility: Not compatible with MonitEM-Lab indoor</li> </ul>
 WMTA0003	<b>MonitEM – Tripod</b>	<ul style="list-style-type: none"> <li>• Non-reflective wooden tripod for MonitEM</li> <li>• Compatibility: Not compatible with MonitEM-Lab indoor (SMP2 tripod can be used instead)</li> </ul>
 WMTA0004	<b>MonitEM – Case</b>	<ul style="list-style-type: none"> <li>• Robust IP65 carrying case for MonitEM</li> <li>• Compatibility: Not compatible with MonitEM-Lab indoor</li> </ul>

**Spare parts (not compatible with MonitEM-Lab)**

Part Number	Reference	Description
 PEA0001	<b>MonitEM Battery</b>	Battery for MonitEM
 WMTR0001	<b>MonitEM – Solar Panel</b>	Solar panel delivered with fixation and connectors



Part Number	Reference	Description
WMTR0002	<b>MonitEM – Base</b>	MonitEM housing base. Includes connectors and cables
PEN0018	<b>MonitEM – Dome</b>	MonitEM rear cover and dome



**cMonitEM (includes internal probe)**



Part Number	Reference	Description
WMT0100	<b>cMonitEM mobile</b>	<ul style="list-style-type: none"> <li>• Probe included: selective broadband measuring at GSM, 3G, LTE</li> <li>• Internal 3G/GPRS included</li> <li>• AC powered</li> </ul>
WMT0101	<b>cMonitEM WiFi</b>	<ul style="list-style-type: none"> <li>• Probe included: selective broadband measuring at 2.4 GHz</li> <li>• Internal 3G/GPRS included</li> <li>• AC powered</li> </ul>






**Control Center (SW) 2 options available**

**Option 1 · Control Center Software on customers premises**







Part Number	Reference	Description
W-CC-SOFT	<b>Control Center Software License Fee</b>	<ul style="list-style-type: none"> <li>• Includes remote installation on client server by Wavecontrol staff</li> <li>• Remote access to customer network is required for the installation</li> <li>• Software license installed in customer server (internal network)</li> </ul>
W-CC-SOFT-MAINTENANCE	<b>Control Center Software Maintenance</b>	Annual fee includes software updates and support, first year mandatory



Option 2 · Control Center Cloud hosted at Wavecontrol server		
Part Number	Reference	Description
 W-CC-HOSTING	<b>Control Center Cloud</b>	<ul style="list-style-type: none"> <li>• Online Control Center (annual fee)</li> <li>• Software is installed in Wavecontrol server</li> <li>• Customer access through internet</li> </ul>
 W-SMP2-CC-CLOUD	<b>Control Center Cloud – SMP2</b>	<ul style="list-style-type: none"> <li>• SMP2 maintenance</li> <li>• Cost per connected SMP2 (annual fee)</li> </ul>
 W-MONITEM-CC-CLOUD	<b>Control Center Cloud – MonitEM</b>	<ul style="list-style-type: none"> <li>• MonitEM maintenance</li> <li>• Cost per connected MonitEM (annual fee)</li> </ul>

## Field Probes

Magnetic Field Probes		
Part Number	Reference	Description
 WWP1501	<b>WPH-DC</b>	<ul style="list-style-type: none"> <li>• Selective field probe</li> <li>• DC – 40 kHz</li> <li>• H/B field: Up to 10 T</li> <li>• Includes Zerogauss-chamber Gauss and ISO17025 Accredited Calibration</li> </ul>
 WWP1101	<b>WPH60</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 300 kHz – 60 MHz</li> <li>• H field: 0.018 – 20 A/m</li> <li>• Traceable calibration</li> </ul>
 WWP1301	<b>WPH1000</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 30 MHz – 1000 MHz</li> <li>• H field: 0.018 – 20 A/m</li> <li>• Traceable calibration</li> </ul>

Electric + Magnetic Field Probes		
Part Number	Reference	Description
 WWP1001	<b>WP400</b>	<ul style="list-style-type: none"> <li>• Selective field probe</li> <li>• 1 Hz – 400 kHz</li> <li>• E and H/B fields</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>



Part Number	Reference	Description
WWP1002	<b>WP400c</b>	<ul style="list-style-type: none"> <li>• Selective field probe</li> <li>• 1 Hz – 400 kHz</li> <li>• E and H/B fields</li> <li>• Includes ISO17025 Accredited Calibration (v. China)</li> </ul>
WWP1201	<b>WP400-3</b>	<ul style="list-style-type: none"> <li>• Selective field probe</li> <li>• 1 Hz – 400 kHz</li> <li>• E and H/B fields</li> <li>• Area 3 cm<sup>2</sup></li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0501	<b>WP50</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 10 Hz – 3 kHz</li> <li>• E and H/B fields</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>

**Electric Field Probes**



Part Number	Reference	Description
WWP0301	<b>WPF3</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 3 GHz</li> <li>• E field: 0.2 – 130 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0302	<b>WPF3-HP</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 3 GHz</li> <li>• E field: 0.2 – 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0701	<b>WPT</b>	<ul style="list-style-type: none"> <li>• Broadband field probe at selected Mobile Telephony Bands, GSM, 3G, LTE</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0801	<b>WP-WiFi</b>	<ul style="list-style-type: none"> <li>• Broadband field probe at selected WiFi 2.4 GHz</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0601	<b>WPF6</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 6 GHz</li> <li>• E field: 0.2 – 130 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0602	<b>WPF6-HP</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 6 GHz</li> <li>• E field: 0.2 – 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>



Part Number	Reference	Description
WWP0401	<b>WPF8</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 8 GHz</li> <li>• E field: 0.2 – 130 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0402	<b>WPF8-HP</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 100 kHz – 8 GHz</li> <li>• E field: 0.2 – 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0901	<b>WPF18</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 300 kHz – 18 GHz</li> <li>• E field: 0.5 – 250 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0902	<b>WPF18-HP</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 300 kHz – 18 GHz</li> <li>• E field: 0.5 - 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0911	<b>WPF18 FAST</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 300 kHz – 18 GHz</li> <li>• E field: 0.5 – 250 V/m FAST VERSION</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP0912	<b>WPF18 FAST-HP</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 300 kHz – 18 GHz</li> <li>• E: field: 0.5 – 1000 V/m FAST VERSION</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
WWP1401	<b>WPF40</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 1 MHz – 40 GHz</li> <li>• E field: 1 – 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz, traceable 18 - 40 GHz</li> </ul>
WWP1402	<b>WPF40 FAST</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 1 MHz – 40 GHz</li> <li>• E field: 1 – 1000 V/m FAST VERSION</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz, traceable 18 - 40 GHz</li> </ul>
WWP2301	<b>WPF60</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 1 MHz – 60 GHz</li> <li>• E field: 1 – 1000 V/m</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz</li> </ul>
WWP2311	<b>WPF60 FAST</b>	<ul style="list-style-type: none"> <li>• Broadband field probe</li> <li>• 1 MHz – 60 GHz</li> <li>• E field: 1 – 1000 V/m FAST VERSION</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz</li> </ul>



Part Number	Reference	Description
WWP2201	<b>WPF60S FCC</b>	<ul style="list-style-type: none"> <li>• Shaped probe to FCC standard</li> <li>• 1 MHz – 60 GHz</li> <li>• E field: 0.1 – 800 %</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz</li> </ul>



WWP2202	<b>WPF60S ICNIRP</b>	<ul style="list-style-type: none"> <li>• Shaped probe to ICNIRP 1998 standard</li> <li>• 1 MHz – 60 GHz</li> <li>• E field: 0.1 – 800 %</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz</li> </ul>
---------	----------------------	---



WWP2203	<b>WPF60S SC6</b>	<ul style="list-style-type: none"> <li>• Shaped probe to SC6 standard</li> <li>• 1 MHz – 60 GHz</li> <li>• E field: 0.1 – 800 %</li> <li>• Includes ISO17025 Accredited Calibration up to 18 GHz</li> </ul>
---------	-------------------	---

**Spare parts**



Part Number	Reference	Description
PBL0018	<b>WPH DC Zerogauss-chamber</b>	Zero Gauss chamber for WPH-DC Field Probe

## MapEM



Part Number	Name	Description
WMT0014	<b>MapEM</b>	<ul style="list-style-type: none"> <li>• MonitEM-DC for drive test application – MapEM</li> <li>• DC vehicle cable</li> <li>• Integrated GPS</li> <li>• External USB connector</li> <li>• On/Off switch</li> <li>• Vehicle Magnetic support for MapEM</li> </ul>



W-LIC-MAPEM PERP	<b>MapEM Software</b>	Software to assist on the EMF drive test
------------------	-----------------------	--

## Warranty Extension

Part Number	Name	Description
W-WARRANTY-EXT 1 YR	<b>1-year Extended Warranty</b>	Warranty Extension to 3 years (2 + 1 years)
W-WARRANTY-EXT 2 YR	<b>2-year Extended Warranty</b>	Warranty Extension to 4 years (2 + 2 years)
W-WARRANTY-EXT 3 YR	<b>3-year Extended Warranty</b>	Warranty Extension to 5 years (2 + 3 years)





## ⚠ General conditions

**Confidentiality** This document is private and confidential. Distribution and/or copy is prohibited.

## ⚠ Shipping instructions

**Reception** **Wavecontrol** will not accept any material without a RMA reference.

**RMA** Customers must fill the RMA form before sending any material. **Wavecontrol** will confirm the RMA reference that is needed to be indicated in all paperwork (delivery note) and also outside the box.

RMA is valid for calibrations and repairs. In case of repairs, please include as much information possible about the damages/defects/malfunctions.

Customer registration may be needed to access the RMA form through following link:  
<https://rma.wavecontrol.com/>

**Transport** Goods have to be shipped to **Wavecontrol** with transport and duties fully paid. **Wavecontrol** logistics department can help our customers to prepare all documentation needed.

## ⚠ Repairs

**Basic Repair Fee** For all repairs there is a minimum fee that **Wavecontrol** will invoice even if the unit is not repaired. If the repair needed is basic, **Wavecontrol** will repair automatically and charge this minimum fee.

**Extended Repair** If repair is more complex, **Wavecontrol** will inform customer about repair costs and wait for customer acceptance. If repair is not accepted the basic repair fee will be charged.

## ⚠ Delivery time

**Delivery time** Standard delivery time for calibrations is 2-3 weeks from the arrival of goods. Please contact your sales manager for confirmation.

## ⚠ Contacts & address


**Service Department email** [service@wavecontrol.com](mailto:service@wavecontrol.com)  
**Service Department Telephone** (+34) 933 208 055  
**Contact hours** 9 am – 18 pm, GMT +1

**Shipping Address**

<b>Name</b>	WAVECONTROL S.L.
<b>Address</b>	Pallars 65-71, 08018 Barcelona, Spain
<b>FAO</b>	Attn. Service Department
<b>Telephone</b>	(+34) 933 208 055
<b>email</b>	<a href="mailto:service@wavecontrol.com">service@wavecontrol.com</a>



## Repairs / Check Ups

Part number	Reference	Description
W-WAVEMON-VAL 	<b>WaveMon Validation</b>	<ul style="list-style-type: none"> <li>• Complete check (internal parameters, light, sound, vibration, Field sensors)</li> <li>• Firmware update</li> <li>• Battery replacements</li> <li>• Calibration at 1 frequency (100 MHz)</li> </ul>
W-REPA-SMP/SMP2	<b>Basic Repair SMP/SMP2</b>	<ul style="list-style-type: none"> <li>• Investigation fee SMP/SMP2. Includes basic repair</li> <li>• Minimum charge for any repair</li> <li>• Additional repairs will be quoted for acceptance</li> </ul>
W-REPA-MonitEM	<b>Basic Repair MonitEM</b>	<ul style="list-style-type: none"> <li>• Investigation fee MonitEM. Includes basic repair</li> <li>• Minimum charge for any repair</li> <li>• Additional repairs will be quoted for acceptance</li> </ul>
W-REPA-Probe	<b>Basic Repair Field Probes</b>	<ul style="list-style-type: none"> <li>• Investigation fee Probes. Includes basic repair</li> <li>• Minimum charge for any repair</li> <li>• Additional repairs will be quoted for acceptance</li> </ul>

## Calibrations

[See LabCal Price List for more details and complete information](#)

### ISO 17025 accredited calibration / Calibration performed at accredited laboratory

Part number	Reference	Description
W-WP400-CAL FLAT	<b>CalWP400</b>	<ul style="list-style-type: none"> <li>• 10 Hz – 400 kHz</li> <li>• E&amp;H fields</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WP400-CAL FLAT	<b>CalWP400-3</b>	<ul style="list-style-type: none"> <li>• 10 Hz – 400 kHz</li> <li>• E&amp;H fields</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WP50-CAL FLAT	<b>CalWP50 (flat)</b>	<ul style="list-style-type: none"> <li>• 10 Hz – 3 kHz</li> <li>• E&amp;H fields</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPF3-CAL	<b>CalWPF3</b>	<ul style="list-style-type: none"> <li>• 100 kHz – 3 GHz</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPT-CAL	<b>CalWPT</b>	<ul style="list-style-type: none"> <li>• GSM, UMTS, LTE</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>

Part number	Reference	Description
W-WP WIFI-CAL	CalWP-WiFi	<ul style="list-style-type: none"> <li>• 2.4 GHz</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPF6-CAL	CalWPF6	<ul style="list-style-type: none"> <li>• 100 kHz – 6 GHz</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPF8-CAL	CalWPF8	<ul style="list-style-type: none"> <li>• 100 kHz – 8 GHz</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPF18-CAL	CalWPF18	<ul style="list-style-type: none"> <li>• 300 kHz – 18 GHz</li> <li>• E field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPF40-CAL	CalWPF40	<ul style="list-style-type: none"> <li>• 1 MHz – 18 GHz (ISO 17025) and 26.5 GHz &amp; 40 GHz (traceable)</li> <li>• E field</li> <li>• Valid for WPF60</li> </ul>
W-WPHDC-CAL	CalWPH-DC	<ul style="list-style-type: none"> <li>• 10 Hz – 4 kHz</li> <li>• H field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-WPHDC-40K-CAL	CalWPH-40k-DC	<ul style="list-style-type: none"> <li>• 10 Hz – 40 kHz</li> <li>• H field</li> <li>• Includes ISO17025 Accredited Calibration</li> </ul>
W-PRINTED-CAL	PrintCal	Printed calibration report
	ThirdCal	3rd party Field Probes *

\* See Labcal\_Price List for complete information

Traceable calibration / Not under ENAC-ILAC Accreditation

Part Number	Reference	Description
W-WPH60-CAL	CalWPH60	300 kHz – 60 MHz
W-WPH1000-CAL	CalWPH1000	30 MHz – 1000 MHz

Training

Part number	Reference	Description
W-TRAINING SMP2	<b>SMP2</b> Training Online/Wavecontrol offices	<ul style="list-style-type: none"> <li>• 2 hours training on basic of products SMP2, how to use the solution versus normative etc</li> <li>• Includes Training Certificate</li> </ul>
W-TRAINING MonitEM	<b>MonitEM</b> Training Online/Wavecontrol offices	<ul style="list-style-type: none"> <li>• 2 hours training on basic of products MonitEM, how to use the solution versus normative etc</li> <li>• Includes Training Certificate</li> </ul>

Part number	Reference	Description
W-TRAINING MapEM	<b>MapEM Training Online/Wavecontrol offices</b>	<ul style="list-style-type: none"> <li>• 2 hours training on basic of products MapEM, how to use the solution versus normative etc</li> <li>• Includes Training Certificate</li> </ul>
W-TRAINING MonitEM-Lab	<b>MonitEM-Lab Training Online/Wavecontrol offices</b>	<ul style="list-style-type: none"> <li>• 2 hours training on basic of products MonitEM-Lab, how to use the solution versus normative etc</li> <li>• Includes Training Certificate</li> </ul>
W-TRAINING Basic EMF	<b>Basic EMF Training Online/Wavecontrol offices</b>	<ul style="list-style-type: none"> <li>• 1 hour training on basic EMF</li> <li>• Includes Training Certificate</li> </ul>
W-TRAINING ON SITE	<b>Training at customer facilities</b>	Training on site (travel expenses charged separately) pricing per day

## Upfront Recalibration

Part number	Reference	Description
W-(name of the probe)-UPCAL 2YR	<b>1 upfront recalibration</b>	<ul style="list-style-type: none"> <li>• Book the first recalibration (after 2 years from purchasing date)</li> <li>• Transport costs not included</li> </ul>
W-(name of the probe)-UPCAL 4YR	<b>2 upfront recalibrations</b>	<ul style="list-style-type: none"> <li>• Book the first and the second recalibration (after 2 years and after 4 years from purchasing date)</li> <li>• Transport costs not included</li> </ul>

W